



VISIT US AT [PEERLESSBLOCK.COM](http://PEERLESSBLOCK.COM)

400 Oliver Street  
PO BOX 1400  
Saint Albans WV 25177

Phone: 800-642-3054  
Fax: 304-727-4306  
E-mail: [chad.earl@peerlessblock.com](mailto:chad.earl@peerlessblock.com)

VISIT US AT [PEERLESSBLOCK.COM](http://PEERLESSBLOCK.COM)



# PEERLESS

MASONRY COAL MINE  
PRODUCTS



Date: 03/10/2007

To Order Call: (800) 642-3054

### To Our Customers:

Peerless Block and Brick Company has been a member of the mining community for over 50 years. We understand problems associated with deep mining and the risks involved. With this in mind, we developed our block and packaging to be as rugged as the Mining Industry.

Our patented "Strap Block System" has been rigorously tested and is designed to handle the harshest mining conditions. Since no mine is the same we offer not only a variety of blocks, but different cube configurations as well. This allows for transportation in all coal seam heights.

Our blocks are manufactured with light weight aggregate, cement, and bottom ash. This greatly reduces the weight of our blocks and allows us to meet and exceed all safety standards.

All packages are bound by non-conductive plastic strapping to aid in the reduction of hand and eye injuries. This also helps in the prevention of fire. We have eliminated the need for pallets with the exception of our "Labor Saver" line. This helps reduce trash, lowers cost, and saves time spent on recovery.

Should an emergency take place, rest assured we have an "Emergency Order Protocol" for nights and weekends for a nominal fee per event.

We are here to help you, whatever it takes.

Peerless Staff

Visit us at  
[peerlessblock.com](http://peerlessblock.com)

## Other Products

### Anchor Retaining Wall Systems

Anchor wall systems offer an economic solution to soil retention. This system is WV DOT approved, provides design freedom, and is simple to install.

Peerless Block & Brick Company offers preliminary design services and training if requested.



### Tamms Speed Plug

This quick setting hydraulic cement instantly stops running water or seepage leaks, even under water. Achieves initial set in 1-3 minutes.



## CONTACT INFORMATION

Peerless Brick and Block Company  
400 Oliver Street  
PO BOX 1400  
St. Albans, West Virginia 25177  
Main Office 1-800-642-3054  
Chad Earl  
Coal Mine Accounts Manager  
(304) 727-4301 Office  
(304) 741-1141 Mobil  
(304) 727-4306 Fax  
[chad.earl@peerlessblock.com](mailto:chad.earl@peerlessblock.com)

To Order Call: (800) 642-3054

### Cap Blocks

4" X 8" X 16" SOLID BLOCK

2" X 8" X 16" SOLID BLOCK

Usually referred to as a cap block, these units offer high compressive strength and durability for superior performance.



### Crush Block

Comprised of Styrofoam, our crush block makes an excellent cap unit for stoppings. It can be cut to size with a utility knife. This unit can crush up to 75% of its size. If slaking, heaving, and pillar convergence is an issue, check out Crush Block.

Sizes Available

2"X6"X24"

4"X6"X24"

6"X6"X24"

### Erosion Control Products




Armortec Erosion Control Solutions



Armortec products offer a more permanent protection system for impoundments, stream banks, channels, low water crossings and culverts. Cost is comparative to traditional rip-rap and the product is environmentally "Green".

Visit us at [peerlessblock.com](http://peerlessblock.com)



To Order Call: (800) 642-3054

### Solid Back Saver



6" APPROXIMATELY 39 POUNDS

8" APPROXIMATELY 52 POUNDS

*NO PALLET*

Back Savers utilize STRAP-BLOCK® technology and measure 6"X8"X16" and 8"X8"X16". Both are constructed from light weight materials to reduce unit weight to create the lightest block in the industry. Back Savers require no wooden pallet and are bound with plastic strapping which reduces the risk of injury and fire.

#### Solid Back Savers

Cube Dimensions 6"	Cube Dimensions 8"
4 High Configuration = 55 Units	40"X48"X22.75"High 40"X48"X32 High
5 High Configuration = 70 Units	

### 75% Solid Back Saver



APPROXIMATELY 26 POUNDS EACH

OUR TOP

*NO PALLET*

75% Solid Back Savers utilize STRAP-BLOCK® technology and measure 6"X8"X16". A variety of packages and 26 pound unit weight makes this unit our top seller.

#### 75% Solid Back Savers

4 High Configuration = 55 Units	Cube Dimensions 40"X48"X22.75"High
5 High Configuration = 70 Units	40"X48"X28" High
6 High Configuration = 87 Units	40"X48"X36" High

### Tongue & Groove Block



APPROXIMATELY 56 POUNDS EACH

*NO PALLET*

Our Tongue and Groove block offers superior strength and is used exclusively by STRATA Mine Systems for seal construction. Blocks measure 8"X8"X16".

4 High Configuration = 55 Units  
 Cube Dimensions 40"X48"X32" High

Visit us at [peerlessblock.com](http://peerlessblock.com)

### Solid Block

6" APPROXIMATELY 42 POUNDS

8" APPROXIMATELY 57 POUNDS

*NO PALLET*

8" X 8" X 16" Solid Square Edge Block  
 6" X 8" X 16" Solid Square Edge Block  
 .Peerless' solid square edge block is packaged with plastic strapping and does not require a pallet. This block can be used in a variety of underground applications. Pallets and stretch wrap are available for an additional charge.



#### Solid Square Edge Block

4 High Configuration = 55 Units	8" Units
5 High Configuration = 70 Units	6" Units

APPROXIMATELY 38 POUNDS EACH

### Labor Saver

Labor savers measure 6"X8"X24". This block comes with pallet and can be wrapped and banded for an additional charge.

#### 75% Solid Back Savers

4 High Configuration = 40 Units	Cube Dimensions 40"X48"X28"High
5 High Configuration = 50 Units	40"X48"X34"High

40"X48"X36"



### Super Block®

APPROXIMATELY 40 POUNDS EACH

Super Block® measures 7" X 16" X 24" and is comprised of cement, styrofoam, polypropylene fibers, and bottom ash. This large, oversized block is perfect for stoppings and overcasts.

*NO PALLET*

#### Super Block

28 Units/Cube and 32 Cubes/TT Load  
 22 Units/Cube and 42 Cubes/TT Load  
 Cube Dimensions 40"X48"X37 High

